



SOUTHWOOD
EXOTIC WOOD ENTRIES




2026 Catalog

Frame, Rough Openings, & OSBM Sizes

SA Configuration			
Door Size	Frame Size	Rough Opening	Outside BM
3'0" x 8'0"	37-3/4" x 98-3/4"	38-1/2" x 99-1/2"	40-1/4" x 100"
3'6" x 8'0"	43-3/4" x 98-3/4"	44-1/2" x 99-1/2"	46-1/4" x 100"
SS Configuration			
Door Size	Frame Size	Rough Opening	Outside BM
2'6" x 6'8"	31-3/4" x 82-3/4"	32-1/2" x 83-1/2"	34-1/4" x 84"
2'8" x 6'8"	33-3/4" x 82-3/4"	34-1/2" x 83-1/2"	36-1/4" x 84"
3'0" x 6'8"	37-3/4" x 82-3/4"	38-1/2" x 83-1/2"	40-1/4" x 84"
2'6" x 8'0"	31-3/4" x 98-3/4"	32-1/2" x 99-1/2"	34-1/4" x 100"
2'8" x 8'0"	33-3/4" x 98-3/4"	34-1/2" x 99-1/2"	36-1/4" x 100"
3'0" x 8'0"	37-3/4" x 98-3/4"	38-1/2" x 99-1/2"	40-1/4" x 100"
3'6" x 8'0"	43-3/4" x 98-3/4"	44-1/2" x 99-1/2"	46-1/4" x 100"
AP Configuration			
Door Size	Frame Size	Rough Opening	Outside BM
5'0" x 8'0"	62-1/2" x 98-3/4"	63-1/2" x 99-1/2"	65" x 100"
5'4" x 8'0"	66-1/2" x 98-3/4"	67-1/2" x 99-1/2"	69" x 100"
6'0" x 8'0"	74-1/2" x 98-3/4"	75-1/2" x 99-1/2"	77" x 100"
DS Configuration			
Door Size	Frame Size	Rough Opening	Outside BM
5'0" x 6'8"	62-1/2" x 82-3/4"	63-1/2" x 83-1/2"	65" x 84"
5'4" x 6'8"	66-1/2" x 82-3/4"	67-1/2" x 83-1/2"	69" x 84"
6'0" x 6'8"	74-1/2" x 82-3/4"	75-1/2" x 83-1/2"	77" x 84"
5'0" x 8'0"	62-1/2" x 98-3/4"	63-1/2" x 99-1/2"	65" x 100"
5'4" x 8'0"	66-1/2" x 98-3/4"	67-1/2" x 99-1/2"	69" x 100"
6'0" x 8'0"	74-1/2" x 98-3/4"	75-1/2" x 99-1/2"	77" x 100"
7'0" x 8'0"	86-1/2" x 98-3/4"	87-1/2" x 99-1/2"	89" x 100"
S2 Configuration			
Door Size	Frame Size	Rough Opening	Outside BM
1'0" x 3'0" x 1'0" x 6'8"	65" x 82-3/4"	66" x 83-1/2"	67-1/2" x 84"
1'0" x 3'0" x 1'0" x 8'0"	65" x 98-3/4"	66" x 99-1/2"	67-1/2" x 100"
S3 Configuration			
Door Size	Frame Size	Rough Opening	Outside BM
1'0" x 3'0" x 1'0" x 6'8" w/ 1'0" Transom	65" x 96-1/4"	66" x 97"	67-1/2" x 97-1/2"
1'0" x 3'0" x 1'0" x 8'0" w/ 1'0" Transom	65" x 112-1/4"	66" x 113"	67-1/2" x 113-1/2"
SST Configuration			
Door Size	Frame Size	Rough Opening	Outside BM
3'0" x 6'8" w/ 1'0" Transom	37-3/4" x 96-1/4"	38-1/2" x 97"	40-1/4" x 97-1/2"
3'0" x 8'0" w/ 1'0" Transom	37-3/4" x 112-1/4"	38-1/2" x 113"	40-1/4" x 113-1/2"

Radius Frame Specs





Andalucia 4lt



SS Sizes:

2'6" x 6'8" | 2'8" x 6'8" | 3'0" x 6'8"
2'6" x 8'0" | 2'8" x 8'0" | 3'0" x 8'0" | 3'6" x 8'0"

DS Sizes:

5'0" x 6'8" | 5'4" x 6'8" | 6'0" x 6'8"
5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0" | 7'0" x 8'0"

S2 Sizes:

1'0" x 3'0" x 1'0" x 6'8"
1'0" x 3'0" x 1'0" x 8'0"

S3 Sizes:

1'0" x 3'0" x 1'0" x 6'8" w/ 1'0" Transom
1'0" x 3'0" x 1'0" x 8'0" w/ 1'0" Transom

SST Sizes:


3'0" x 6'8" w/ 1'0" Transom
3'0" x 8'0" w/ 1'0" Transom

Wood Species: Mahogany 1-3/4" Stain Grade


Glass Options: Clear Bevel *or* Flemish IG Low-E

Profile: Ovolo


Lead Time: 4-5 Weeks



SS




DS



S2



S3



SST



Andalucia 6lt



SS Sizes:

2'6" x 6'8" | 2'8" x 6'8" | 3'0" x 6'8"
2'6" x 8'0" | 2'8" x 8'0" | 3'0" x 8'0" | 3'6" x 8'0"

DS Sizes:

5'0" x 6'8" | 5'4" x 6'8" | 6'0" x 6'8"
5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0" | 7'0" x 8'0"

S2 Sizes:

1'0" x 3'0" x 1'0" x 6'8"
1'0" x 3'0" x 1'0" x 8'0"

S3 Sizes:

1'0" x 3'0" x 1'0" x 6'8" w/ 1'0" Transom
1'0" x 3'0" x 1'0" x 8'0" w/ 1'0" Transom

SST Sizes:


3'0" x 6'8" w/ 1'0" Transom
3'0" x 8'0" w/ 1'0" Transom

Wood Species: Mahogany 1-3/4" Stain Grade


Glass Options: Clear Bevel *or* Flemish IG Low-E

Profile: Ovolo


Lead Time: 4-5 Weeks




SS




DS



S2



S3



SST



Andalucia 8lt



SS Sizes:

2'6" x 8'0" | 2'8" x 8'0" | 3'0" x 8'0"

DS Sizes:

5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

S2 Sizes:

1'0" x 3'0" x 1'0" x 8'0"

S3 Sizes:


1'0" x 3'0" x 1'0" x 8'0" w/ 1'0" Transom

Wood Species: Mahogany 1-3/4" Stain Grade


Glass Options: Clear Bevel **or** Flemish IG Low-E

Profile: Ovolo


Lead Time: 4-5 Weeks




SS



DS



S2



S3



Andalucia 9lt Prairie



SS Sizes:

3'0" x 6'8"

2'6" x 8'0" | 2'8" x 8'0" | 3'0" x 8'0"

DS Sizes:

6'0" x 6'8"

5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

S2 Sizes:

1'0" x 3'0" x 1'0" x 6'8"

1'0" x 3'0" x 1'0" x 8'0"

S3 Sizes:

1'0" x 3'0" x 1'0" x 6'8" w/ 1'0" Transom


1'0" x 3'0" x 1'0" x 8'0" w/ 1'0" Transom

Wood Species: Mahogany 1-3/4" Stain Grade


Glass Options: Clear Bevel IG Low-E

Profile: Ovolo


Lead Time: 4-5 Weeks



SS



DS



S2



S3



Andalucia 1W3H



SS Sizes:

2'6" x 8'0" | 2'8" x 8'0" | 3'0" x 8'0"

DS Sizes:


5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade


Glass Options: Clear Bevel *or* Flemish IG Low-E

Profile: Ovolo

Lead Time: 4-5 Weeks



SS



DS



Miranda 4lt



SA Sizes:

3'0" x 8'0"

AP Sizes:


5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade

Glass Options: Clear Bevel *or* Flemish IG Low-E

Profile: Ovolo

Lead Time: 4-5 Weeks



SA



AP



Miranda 6lt



SA Sizes:

3'0" x 8'0"

AP Sizes:


5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade

Glass Options: Clear Bevel *or* Flemish IG Low-E

Profile: Ovolo

Lead Time: 4-5 Weeks



SA



AP



Miranda 7lt Diamond



SA Sizes:

3'0" x 8'0"

AP Sizes:


5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade

Glass Options: Clear Bevel IG Low-E

Profile: Ovolo

Lead Time: 4-5 Weeks



SA



AP



Miranda 9lt Prairie



AP Sizes:

5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade

Glass Options: Clear Bevel *or* Flemish IG Low-E

Profile: Ovolo

Lead Time: 4-5 Weeks



AP



Santa Fe



SS Sizes:

3'0" x 6'8"

2'6" x 8'0" | 2'8" x 8'0" | 3'0" x 8'0"

DS Sizes:

6'0" x 6'8"

5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

S2 Sizes:

1'0" x 3'0" x 1'0" x 6'8"

1'0" x 3'0" x 1'0" x 8'0"

S3 Sizes:

1'0" x 3'0" x 1'0" x 6'8" w/ 1'0" Transom


1'0" x 3'0" x 1'0" x 8'0" w/ 1'0" Transom

Wood Species: Knotty Alder 1-3/4" Stain Grade


Glass Options: Clear Bevel IG Low-E

Profile: Ovolo with V-Grooved Raised Panel


Lead Time: 4-5 Weeks



SS



DS



S2



S3



Highlands



DS Sizes:


5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

Wood Species: Knotty Alder 1-3/4" Stain Grade

Glass Options: Clear Bevel *or* Flemish IG Low-E

Profile: Ovolo

Lead Time: 4-5 Weeks



DS



Palermo 3lt



SS Sizes:

3'0" x 6'8"

3'0" x 8'0"

S2 Sizes:

1'0" x 3'0" x 1'0" x 6'8"

1'0" x 3'0" x 1'0" x 8'0"

S3 Sizes:

1'0" x 3'0" x 1'0" x 6'8" w/ 1'0" Transom

1'0" x 3'0" x 1'0" x 8'0" w/ 1'0" Transom


Wood Species: Mahogany 1-3/4" Stain Grade

Dentil Shelf: Applied, Loose, **or** No Shelf


Glass Options: Clear Bevel IG Low-E

Profile: Ovolo with Shaker Panels


Lead Time: 4-5 Weeks




SS




S2



S2-5L



S3



S3-5L



Palermo 6lt



SS Sizes:

3'0" x 6'8"

3'0" x 8'0"

S2 Sizes:

1'0" x 3'0" x 1'0" x 6'8"

1'0" x 3'0" x 1'0" x 8'0"

S3 Sizes:

1'0" x 3'0" x 1'0" x 6'8" w/ 1'0" Transom

1'0" x 3'0" x 1'0" x 8'0" w/ 1'0" Transom


Wood Species: Mahogany 1-3/4" Stain Grade

Dentil Shelf: Applied, Loose, **or** No Shelf


Glass Options: Clear Bevel IG Low-E

Profile: Ovolo with Shaker Panels


Lead Time: 4-5 Weeks



SS




S2



S2-5L



S3



S3-5L



Ventura



SS Sizes:

3'0" x 6'8"

S2 Sizes:

1'0" x 3'0" x 1'0" x 6'8"


S3 Sizes:

1'0" x 3'0" x 1'0" x 6'8" w/ 1'0" Transom


Wood Species: Mahogany 1-3/4" Stain Grade

Profile: Ovolo with V-Grooved Raised Panels


Lead Time: 4-5 Weeks



SS



S2-5L



S3-5L



Portland



SS Sizes:

3'0" x 8'0"

DS Sizes:

6'0" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade


Glass Type: Clear Flat IG Low-E

Profile: Square

Lead Time: 4-5 Weeks



SS



DS



Tacoma



SS Sizes:

3'0" x 8'0"

DS Sizes:


6'0" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade


Glass Type: Clear Flat IG Low-E

Profile: Square

Lead Time: 4-5 Weeks



SS



DS



Meridian 4lt



SS Sizes:


3'6" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade

Glass Type: Clear Flat *or* Seedy IG Low-E

Profile: Step Sticking

Lead Time: 4-5 Weeks





Meridian 9lt



SS Sizes:


3'6" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade

Glass Type: Clear Flat *or* Seedy IG Low-E

Profile: Step Sticking

Lead Time: 4-5 Weeks





Ridgeland



SS Sizes:


3'6" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade

Glass Type: Clear Flat *or* Seedy

Profile: Step Sticking

Lead Time: 4-5 Weeks





Savannah 1lt



SS Sizes:

2'6" x 6'8" | 2'8" x 6'8" | 3'0" x 6'8"

2'6" x 8'0" | 2'8" x 8'0" | 3'0" x 8'0"

DS Sizes:

5'0" x 6'8" | 5'4" x 6'8" | 6'0" x 6'8"


5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade


Glass Options: Clear Flat IG Low-E

Profile: Ovolo

Lead Time: 4-5 Weeks



SS



DS



Savannah Full View



SS Sizes:

2'6" x 6'8" | 2'8" x 6'8" | 3'0" x 6'8"

2'6" x 8'0" | 2'8" x 8'0" | 3'0" x 8'0"

DS Sizes:

5'0" x 6'8" | 5'4" x 6'8" | 6'0" x 6'8"


5'0" x 8'0" | 5'4" x 8'0" | 6'0" x 8'0"

Wood Species: Mahogany 1-3/4" Stain Grade


Glass Options: Clear Flat IG Low-E

Profile: Ovolo

Lead Time: 4-5 Weeks



SS





DS

Custom Doors

At Southwood Doors, we know that every great project begins with a vision.

Bring us your unique ideas, and our expert team will collaborate with you to turn that vision into a reality. Whether it's intricate designs or custom sizes, we're committed to providing the support and craftsmanship you need to meet your clients' expectations.



Once we understand your requirements, our team will provide a detailed and transparent quote tailored to your needs. We pride ourselves on offering competitive pricing without compromising quality, ensuring you have all the information necessary to make an informed decision for your clients.

With your approval, our skilled craftsmen begin production, ensuring every detail meets our rigorous standards. From manufacturing to delivery, we manage the entire process with precision and care, so your custom door arrives on time and ready to make a lasting impression for your clients.



Custom Door Options

Glass Options (Low-E Insulated)



Clear Bevel



Flemish



Seedy



Frosted




Rain




Clear Flat

Wood Species



Mahogany



Knotty Alder



Clear Alder

Custom Doors



Custom Doors



GU Multipoint Lock System

The GU multipoint lock offers enhanced security and durability with its reliable triple-point latch system, ensuring doors are firmly secured at three points. Built for strength and durability, it offers enhanced protection and smooth operation, making it an excellent choice for a wide range of door styles.

This lock is only compatible with Emtek Door Configuration #2 handlesets.

Square Handlesets



Scroll Handlesets



Hardware Options



Bronze Sill




Nickel Sill


Available in Inswing, Outswing, and ADA (*Upcharge may Apply*)



ORB (Black) Hinge




Satin Nickel Hinge



334 Interior Casing
1" x 3-3/4"



445 Interior Casing
13/16" x 3-1/4"



S4S Interior Casing
1" x 3-1/2"

Warranty

WOOD DOOR LIMITED WARRANTY

Every Southwood door is covered under warranty for a period of one (1) year and guaranteed to be free from defects resulting from manufacturing or workmanship. The warranty period begins on the date the dealer receives delivery of the door.

Should the warranted door be found to contain defects as stated above, Southwood Doors will, at its option, either repair or replace the defective door at no charge, or issue a full refund to the distributor to facilitate a refund to the end user.

If a defect is discovered upon inspection of a door upon receipt of shipment from Southwood Doors, notice must be given immediately, and before the door is shipped to the end user or installed. A replacement door unit will be shipped pre-paid to the distributor of origin. If damage is discovered after delivery from the distributor, the distributor must be notified immediately and prior to installation. Responsibility will be assessed, and the end user will be accommodated accordingly.

Under the terms of this warranty, Southwood Doors is obligated to replace the defective product, F.O.B. distributor's warehouse from which the original sale was facilitated. Labor, installation, finishing, and/or consequential damages are not covered under this warranty.

Warp Tolerances

Warp of up to ¼" in any plane of the door is acceptable for all doors 8'0" and shorter and 42" or less in width. Doors wider than 42" and/or taller than 8'0" are not warranted against warp.

Installation and Maintenance Requirements

Weather Protection:

All doors must be installed with sufficient protection from weather, including excessive moisture, rain, and heat due to sun exposure. Adequate protection requires an overhang projection equal to at least half the distance from the floor to the ceiling of the overhang.

Sealing and Maintenance:

Deterioration of wood components caused by neglect or failure to protect and seal all exposed surfaces and edges of the door prior to or immediately after hanging is not covered by this warranty. All door units, regardless of exposure, must be inspected and maintained annually by the homeowner.

Reasonable maintenance includes:

Ensuring a clear topcoat with UV inhibitors is applied and maintained throughout the life of the door. Avoiding painting the door black or other dark opaque colors, as these colors increase heat/UV absorption and void the warranty.

Inspection:

Southwood Doors reserves the right to require on-site inspections of maintenance and installation procedures before processing any warranty claim.

Wood Characteristics:

Variations in color, texture, grain, or general surface appearance of wood are natural and not considered defects. Professional staining methods are recommended to address color variations.

Floating Panels:

All wood doors are constructed with floating panels to accommodate natural expansion and contraction. Water penetration through the panels due to exposure to severe moisture or rain in an unprotected environment is not considered a defect. Consumers are responsible for addressing water penetration through appropriate caulking or other remedies.

Knots in Knotty Alder Wood:

The natural beauty of Knotty Alder wood includes knots of various shapes, sizes, and placements, which are not considered defects. Consumers desiring doors without knots may custom order the same design in an alternative wood species, such as mahogany. Open knots exposing the inner core of the wood will be filled with black epoxy for durability.

GLASS LIMITED WARRANTY

Southwood Doors warrants that all glass will be free from seal failure for ten (10) years from the date of shipment. Southwood Doors will, at its option, repair or replace defective glass.

This warranty does not cover glass breakage under any circumstances, including thermal fractures or physical impacts. The appearance of a haze, blueish tint, or similar visual effect on glass surfaces incorporating Low-E coating when exposed to direct sunlight is a normal characteristic of this type of glazing. Such appearance shall not be considered a defect in materials or workmanship and is expressly excluded from warranty coverage.

Warranty

It is imperative to use high quality stains and clear coats that contain UV inhibitors specifically formulated for exterior window and door use. PPG Door and Window Finish is an example of an acceptable product specifically formulated for the application of exterior doors.

Painting or staining doors black, gray, brown, or any dark opaque color will void door warranty. These opaque colors absorb heat and sunlight rather than reflecting the elements that lead to cracking, warping, and expansion/contraction of components of the door.


Excessive exposure to wet weather will result in water intrusion through the panels and other assembled wood components as well as glass stops and beads. Water will soak into the wood components resulting in separation of the joints of wood components.

Do not use a garden hose or any direct stream of water to clean your door. Spraying water directly onto the door can force moisture into joints, panels, or unfinished edges, leading to warping, swelling, or damage to the wood and finish. Additionally, water can penetrate through the floating panels, causing leaks that may damage the interior or surrounding areas. Instead, clean your door using a soft cloth or sponge with mild soap and water, and ensure all surfaces are thoroughly dried immediately afterward. Proper cleaning techniques will help maintain the door's integrity and appearance.

NOT COVERED UNDER WARRANTY

1. Doors that are installed and not sealed completely including the top of the door slab. All doors must be sealed within 30 days of job site installation.
2. Damaged doors that have been delivered to the job site. All doors are delivered to the distributor. The distributor must receive the doors and note any damages to the crate/wrapping material immediately. Doors delivered by the distributor to job sites are the sole responsibility of the distributor.

OVERHANG REQUIREMENTS



X=distance from floor of overhang to the highest point of base/front of overhang.

Y= Projection of overhang

$$Y \geq 1/2 X$$

$$Z \geq 3FT$$

* The door unit in photo above X = 13FT. Y = 7FT. This overhang meets requirements as $Y \geq 1/2 X$.
(7 FT \geq 6 1/2FT)







SOUTHWOOD
EXOTIC WOOD ENTRIES

1222 Emmanuel Church Rd #106
Conover, NC 28613
(704) 625-2790
sales@southwooddoors.com